

-	Anasimyia contracta	-
	Claussen Torp, 1980	
-	Anasimyia lunulata	-
	(Meigen, 1822)	
-	Arctophila superbians	-
	(Müller, 1776)	
-	Brachyopa bicolor	-
	(Fallén, 1817)	
-	Brachyopa insensilis	-
	Collin, 1939	
-	Brachyopa panzeri	-
	Goffe, 1945	
-	Brachyopa testacea	-
	(Fallén, 1817)	
-	Brachypalpus chrysites	-
	Egger, 1859	
-	Caliprobola speciosa	-
	(Rossi, 1790)	
-	Ceriana conopsoides	-
	(Linnaeus, 1758)	
-	Chalcosyrphus nemorum	-
	(Fabricius, 1805)	
-	Chalcosyrphus valgus	-
	(Gmelin, 1790)	
-	Cheilosia aerea	-
	Dufour, 1848	
-	Cheilosia antiqua	-
	(Meigen, 1822)	
-	Cheilosia brachysoma	-
	Egger, 1860	
-	Cheilosia carbonaria	-
	Egger, 1860	
-	Cheilosia cynocephala	-
	Loew, 1840	
-	Cheilosia flavipes	-
	(Panzer, 1794)	
-	Cheilosia gagatea	-
	Loew, 1857	
-	Cheilosia grossa	-
	(Fallén, 1817)	
-	Cheilosia illustrata	-
	(Harris, 1780)	
-	Cheilosia insignis	-
	Loew, 1857	
-	Cheilosia laticornis	-
	Rondani, 1857	
-	Cheilosia loewi	-
	(Becker, 1894)	
-	Cheilosia melanura	-
	(Becker, 1894)	
-	Cheilosia mutabilis	-
	(Fallén, 1817)	
-	Cheilosia ortotricha	-
	Vujć Claussen, 1994	
-	Cheilosia personata	-
	Loew, 1857	
-	Cheilosia psiloptalma	-
	(Becker, 1894)	
-	Cheilosia rufimana	-
	Becker, 1894	
-	Cheilosia scutellata	-
	(Fallén, 1817)	
-	Cheilosia subpicipennis	-
	Claussen, 1998	
-	Cheilosia velutina	-
	Loew, 1840	
-	Cheilosia vulpina	-
	(Meigen, 1822)	
-	Chrysogaster virescens	-
	Loew, 1854	
-	Chrysotoxum elegans	-
	Loew, 1841	

-	Anasimyia interpuncta	-
	(Harris, 1776)	
-	Anasimyia transfuga	-
	(Linnaeus, 1758)	
-	Baccha elongata	-
	(Fabricius, 1775)	
-	Brachyopa dorsata	-
	Zetterstedt, 1837	
-	Brachyopa maculipennis	-
	Thompson Torp, 1982	
-	Brachyopa pilosa	-
	Collin, 1939	
-	Brachyopa vittata	-
	Zetterstedt, 1843	
-	Brachypalpus laphriformis	-
	(Fallén, 1816)	
-	Callicera aenea	-
	(Fabricius, 1781)	
-	Chalcosyrphus eunotus	-
	Loew, 1873	
-	Chalcosyrphus piger	-
	(Fabricius, 1794)	
-	Chamaesyrphus lusitanicus	-
	Mik, 1898	
-	Cheilosia albipila	-
	Meigen, 1822	
-	Cheilosia barbata	-
	Loew, 1857	
-	Cheilosia caerulescens	-
	(Meigen, 1822)	
-	Cheilosia chloris	-
	(Meigen, 1822)	
-	Cheilosia derasa	-
	Loew, 1857	
-	Cheilosia fraterna	-
	(Meigen, 1830)	
-	Cheilosia gigantea	-
	(Zetterstedt, 1838)	
-	Cheilosia hercyniae	-
	Loew, 1857	
-	Cheilosia impressa	-
	Loew, 1840	
-	Cheilosia laeiventris	-
	Loew, 1857	
-	Cheilosia latifrons	-
	(Zetterstedt, 1843)	
-	Cheilosia longula	-
	(Zetterstedt, 1838)	
-	Cheilosia montana	-
	Egger, 1860	
-	Cheilosia nebulosa	-
	(Verrall, 1871)	
-	Cheilosia pagana	-
	(Meigen, 1822)	
-	Cheilosia pini	-
	Becker, 1894	
-	Cheilosia pubera	-
	(Zetterstedt, 1838)	
-	Cheilosia sahlbergi	-
	Becker, 1894	
-	Cheilosia semifasciata	-
	Becker, 1894	
-	Cheilosia urbana	-
	(Meigen, 1822)	
-	Cheilosia vernalis	-
	(Fallén, 1817)	
-	Chrysogaster coemeteriorum	-
	(Linnaeus, 1758)	
-	Chrysotoxum bicinctum	-
	(Linnaeus, 1758)	
-	Chrysotoxum fasciatum	-
	(Müller, 1764)	

-	Anasimyia lineata	-
	(Fabricius, 1787)	
-	Arctophila bombiformis	-
	(Fallén, 1810)	
-	Blera fallax	-
	(Linnaeus, 1758)	
-	Brachyopa grunewaldensis	-
	Kassebeer, 2000	
-	Brachyopa obscura	-
	Thompson Torp, 1982	
-	Brachyopa scutellaris	-
	Robineau-Desvoidy, 1843	
-	Brachypalpoides lentus	-
	(Meigen, 1822)	
-	Brachypalpus valgus	-
	(Panzer, 1798)	
-	Callicera rufa	-
	Schummel, 1842	
-	Chalcosyrphus femoratus	-
	(Linnaeus, 1758)	
-	Chalcosyrphus rufipes	-
	(Loew, 1873)	
-	Chamaesyrphus scaevoides	-
	(Fallén, 1817)	
-	Cheilosia albitarsis	-
	(Meigen, 1822)	
-	Cheilosia bergenstammi	-
	Becker, 1894	
-	Cheilosia canicularis	-
	(Panzer, 1801)	
-	Cheilosia chrysocoma	-
	(Meigen, 1822)	
-	Cheilosia fasciata	-
	Schiner Egger, 1853	
-	Cheilosia frontalis	-
	Loew, 1857	
-	Cheilosia grisella	-
	Becker, 1894	
-	Cheilosia himantopa	-
	(Panzer, 1798)	
-	Cheilosia impudens	-
	Becker, 1894	
-	Cheilosia lasiopa	-
	Kowarz, 1885	
-	Cheilosia lenis	-
	Becker, 1894	
-	Cheilosia melanopa	-
	(Zetterstedt, 1843)	
-	Cheilosia morio	-
	(Zetterstedt, 1838)	
-	Cheilosia nigripes	-
	(Meigen, 1822)	
-	Cheilosia pascuorum	-
	Becker, 1894	
-	Cheilosia proxima	-
	(Zetterstedt, 1843)	
-	Cheilosia rhynchops	-
	Egger, 1860	
-	Cheilosia scanica	-
	Rhingdahl, 1937	
-	Cheilosia soror	-
	(Zetterstedt, 1843)	
-	Cheilosia variabilis	-
	(Panzer, 1798)	
-	Cheilosia vicina	-
	(Zetterstedt, 1849)	
-	Chrysogaster solstitialis	-
	(Fallén, 1817)	
-	Chrysotoxum cautum	-
	(Harris, 1776)	
-	Chrysotoxum fasciolatum	-
	(De Geer, 1776)	

<div>Chrysotoxum festivum</div> <div>(Linnaeus, 1758)</div>
<div>Chrysotoxum octomaculatum</div> <div>Curtis, 1837</div>
<div>Criorhina asilica</div> <div>(Fallén, 1816)</div>
<div>Criorhina pachymera</div> <div>(Egger, 1858)</div>
<div>Dasysyrphus friuliensis</div> <div>(van der Goot, 1960)</div>
<div>Dasysyrphus pauxillus</div> <div>(Williston, 1887)</div>
<div>Dasysyrphus tricinctus</div> <div>(Fallén, 1817)</div>
<div>Didea fasciata</div> <div>Macquart, 1834</div>
<div>Epistrophe cryptica</div> <div>Doczkal Schmidt, 1994</div>
<div>Epistrophe euchroma</div> <div>(Kowarz, 1885)</div>
<div>Epistrophe leiophthalma</div> <div>(Schiner Egger, 1853)</div>
<div>Epistrophe obscuripes</div> <div>(Strobl, 1910)</div>
<div>Eriozona erratica</div> <div>(Linnaeus, 1758)</div>
<div>Eristalinus sepulchralis</div> <div>(Linnaeus, 1758)</div>
<div>Eristalis anthophorina</div> <div>(Fallén, 1817)</div>
<div>Eristalis interrupta</div> <div>(Poda, 1761)</div>
<div>Eristalis lineata</div> <div>(Harris, 1776)</div>
<div>Eristalis pertinax</div> <div>(Scopoli, 1763)</div>
<div>Eristalis similis</div> <div>(Fallén, 1817)</div>
<div>Eumerus funeralis</div> <div>Meigen, 1822</div>
<div>Eumerus ovatus</div> <div>Loew, 1848</div>
<div>Eumerus sogdianus</div> <div>Stackelberg, 1952</div>
<div>Eumerus tricolor</div> <div>(Fabricius, 1798)</div>
<div>Eupeodes goeldlini</div> <div>Mazanek Laska Bick, 1999</div>
<div>Eupeodes lundbecki</div> <div>(Soot-Ryen, 1946)</div>
<div>Eupeodes nitens</div> <div>(Zetterstedt, 1843)</div>
<div>Hammerschmidtia ferruginea</div> <div>(Fallén, 1817)</div>
<div>Helophilus hybridus</div> <div>Loew, 1846</div>
<div>Heringia brevidens</div> <div>(Egger, 1865)</div>
<div>Heringia latitarsis</div> <div>(Egger, 1865)</div>
<div>Heringia vitripennis</div> <div>(Meigen, 1822)</div>
<div>Lejops vittata</div> <div>(Meigen, 1822)</div>
<div>Leucozona inopinata</div> <div>Doczkal, 2000</div>
<div>Mallota cimbiciformis</div> <div>(Fallén, 1817)</div>
<div>Mallota tricolor</div> <div>Loew, 1871</div>
<div>Melangyna lasiophthalma</div> <div>(Zetterstedt, 1843)</div>

<div>Chrysotoxum intermedium</div> <div>Meigen, 1822</div>
<div>Chrysotoxum vernale</div> <div>Loew, 1841</div>
<div>Criorhina berberina</div> <div>(Fabricius, 1805)</div>
<div>Criorhina ranunculi</div> <div>(Panzer, 1804)</div>
<div>Dasysyrphus hilaris</div> <div>(Zetterstedt, 1843)</div>
<div>Dasysyrphus pinastri</div> <div>(De Geer, 1776)</div>
<div>Dasysyrphus venustus</div> <div>(Meigen, 1822)</div>
<div>Didea intermedia</div> <div>Loew, 1854</div>
<div>Epistrophe diaphana</div> <div>(Zetterstedt, 1843)</div>
<div>Epistrophe flava</div> <div>Doczkal Schmidt, 1994</div>
<div>Epistrophe melanostoma</div> <div>(Zetterstedt, 1843)</div>
<div>Epistrophe ochrostoma</div> <div>(Zetterstedt, 1849)</div>
<div>Eriozona syrphoides</div> <div>(Fallén, 1817)</div>
<div>Eristalis abusiva</div> <div>Collin, 1931</div>
<div>Eristalis arbustorum</div> <div>(Linnaeus, 1758)</div>
<div>Eristalis intricaria</div> <div>(Linnaeus, 1758)</div>
<div>Eristalis obscura</div> <div>Loew, 1866</div>
<div>Eristalis picea</div> <div>(Fallén, 1817)</div>
<div>Eristalis tenax</div> <div>(Linnaeus, 1758)</div>
<div>Eumerus grandis</div> <div>Meigen, 1822</div>
<div>Eumerus ruficornis</div> <div>Meigen, 1822</div>
<div>Eumerus strigatus</div> <div>(Fallén, 1817)</div>
<div>Eupeodes bucculatus</div> <div>(Rondani, 1857)</div>
<div>Eupeodes lapponicus</div> <div>(Zetterstedt, 1838)</div>
<div>Eupeodes luniger</div> <div>(Meigen, 1822)</div>
<div>Ferdinandea cuprea</div> <div>(Scopoli, 1763)</div>
<div>Helophilus affinis</div> <div>Wahlberg, 1844</div>
<div>Helophilus pendulus</div> <div>(Linnaeus, 1758)</div>
<div>Heringia fulvimana</div> <div>(Zetterstedt, 1843)</div>
<div>Heringia pubescens</div> <div>(Delicht Pschorn-Walcher, 1955)</div>
<div>Lejogaster metallina</div> <div>(Fabricius, 1781)</div>
<div>Lejota ruficornis</div> <div>(Zetterstedt, 1843)</div>
<div>Leucozona latemaria</div> <div>(Müller, 1776)</div>
<div>Mallota fuciformis</div> <div>(Fabricius, 1794)</div>
<div>Melangyna barbifrons</div> <div>(Fallén, 1817)</div>
<div>Melangyna lucifera</div> <div>Nielsen, 1980</div>

<div>Chrysotoxum lineare</div> <div>(Zetterstedt, 1819)</div>
<div>Chrysotoxum verralli</div> <div>Collin, 1940</div>
<div>Criorhina floccosa</div> <div>(Meigen, 1822)</div>
<div>Dasysyrphus albostratus</div> <div>(Fallén, 1817)</div>
<div>Dasysyrphus lenensis</div> <div>Bagatschanowa, 1980</div>
<div>Dasysyrphus postclaviger</div> <div>Slys Moucha, 1962</div>
<div>Didea alneti</div> <div>(Fallén, 1817)</div>
<div>Doros profuges</div> <div>(Harris, 1780)</div>
<div>Epistrophe eligans</div> <div>(Harris, 1780)</div>
<div>Epistrophe grossulariae</div> <div>(Meigen, 1822)</div>
<div>Epistrophe nitidicollis</div> <div>(Meigen, 1822)</div>
<div>Episyrphus balteatus</div> <div>(De Geer, 1776)</div>
<div>Eristalinus aeneus</div> <div>(Scopoli, 1763)</div>
<div>Eristalis alpina</div> <div>(Panzer, 1798)</div>
<div>Eristalis cryptarum</div> <div>(Fabricius, 1794)</div>
<div>Eristalis jugorum</div> <div>Egger, 1858</div>
<div>Eristalis oestracea</div> <div>(Linnaeus, 1758)</div>
<div>Eristalis rupium</div> <div>Fabricius, 1805</div>
<div>Eumerus flavitarsis</div> <div>Zetterstedt, 1843</div>
<div>Eumerus ornatus</div> <div>Meigen, 1822</div>
<div>Eumerus sabulorum</div> <div>(Fallén, 1817)</div>
<div>Eumerus tarsalis</div> <div>Loew, 1848</div>
<div>Eupeodes corollae</div> <div>(Fabricius, 1794)</div>
<div>Eupeodes latifasciatus</div> <div>(Macquart, 1829)</div>
<div>Eupeodes nielsenii</div> <div>(Dušek Láska, 1976)</div>
<div>Ferdinandea ruficornis</div> <div>(Fabricius, 1775)</div>
<div>Helophilus bottnicus</div> <div>Wahlberg, 1844</div>
<div>Helophilus trivittatus</div> <div>(Fabricius, 1805)</div>
<div>Heringia heringi</div> <div>(Zetterstedt, 1843)</div>
<div>Heringia verrucula</div> <div>(Collin, 1931)</div>
<div>Lejogaster tarsata</div> <div>(Megerle in Meigen, 1822)</div>
<div>Leucozona glaucia</div> <div>(Linnaeus, 1758)</div>
<div>Leucozona lucorum</div> <div>(Linnaeus, 1758)</div>
<div>Mallota megilliformis</div> <div>(Fallén, 1817)</div>
<div>Melangyna compositarum</div> <div>(Verrall, 1873)</div>
<div>Melangyna quadrimaculata</div> <div>Verrall, 1873</div>

<div>Melangyna umbellatarum</div> <div>(Fabricius, 1794)</div>
<div>Melanogaster hirtella</div> <div>(Loew, 1843)</div>
<div>Melanostoma dubium</div> <div>(Verrall, 1873)</div>
<div>Meligramma cincta</div> <div>(Fallén, 1817)</div>
<div>Meligramma triangulifera</div> <div>(Zetterstedt, 1843)</div>
<div>Merodon aeneus</div> <div>Meigen, 1822</div>
<div>Merodon equestris</div> <div>(Fabricius, 1794)</div>
<div>Merodon rufus</div> <div>Meigen, 1822</div>
<div>Microdon devius</div> <div>(Linnaeus, 1758)</div>
<div>Microdon myrmicae</div> <div>Schönrogge, Barr, Wardlaw, Napper, Gardner, Breen, Elmes Thoma 2002</div>
<div>Myolepta potens</div> <div>(Harris, 1776)</div>
<div>Neoscias geniculata</div> <div>(Meigen, 1822)</div>
<div>Neoscias obliqua</div> <div>Coe, 1940</div>
<div>Neoscias unifasciata</div> <div>(Stöbl, 1898)</div>
<div>Orthonevra erythrogona</div> <div>(Malm, 1863)</div>
<div>Orthonevra incisa</div> <div>Loew, 1843</div>
<div>Orthonevra plumbago</div> <div>Loew, 1840</div>
<div>Paragus constrictus</div> <div>Šimic, 1986</div>
<div>Paragus pecchiolii</div> <div>Rondani, 1857</div>
<div>Parasyrphus annulatus</div> <div>(Zetterstedt, 1838)</div>
<div>Parasyrphus macularis</div> <div>(Zetterstedt, 1843)</div>
<div>Parasyrphus punctulatus</div> <div>(Verrall, 1873)</div>
<div>Parhelophilus frutetorum</div> <div>(Fabricius, 1775)</div>
<div>Pipiza accola</div> <div>Volovitch, 1985</div>
<div>Pipiza fasciata</div> <div>Meigen, 1822</div>
<div>Pipiza lugubris</div> <div>(Fabricius, 1775)</div>
<div>Pipiza quadrimaculata</div> <div>(Panzer, 1804)</div>
<div>Pipizella mongolorum</div> <div>Stackelberg, 1952)</div>
<div>Platycheirus albimanus</div> <div>(Fabricius, 1781)</div>
<div>Platycheirus aurolateralis</div> <div>Stubbs, 2002</div>
<div>Platycheirus discimanus</div> <div>(Loew, 1871)</div>
<div>Platycheirus granditarsus</div> <div>(Forster, 1771)</div>
<div>Platycheirus melanopsis</div> <div>Loew, 1856</div>
<div>Platycheirus peltatus</div> <div>(Meigen, 1822)</div>
<div>Platycheirus rosarum</div> <div>(Fabricius, 1787)</div>
<div>Platycheirus splendidus</div> <div>Rotheray 1998</div>

<div>Melanogaster aerea</div> <div>(Loew, 1843)</div>
<div>Melanogaster nuda</div> <div>(Macquart, 1829)</div>
<div>Melanostoma mellinum</div> <div>(Linnaeus, 1758)</div>
<div>Meligramma cingulata</div> <div>(Egger, 1860)</div>
<div>Meliscaeva auricollis</div> <div>(Meigen, 1822)</div>
<div>Merodon avidus</div> <div>(Rossi, 1790)</div>
<div>Merodon funestus</div> <div>(Fabricius, 1794)</div>
<div>Mesembrius peregrinus</div> <div>(Loew, 1846)</div>
<div>Microdon miki</div> <div>Doczkal Schmidt, 1999</div>
<div>Myathropa florea</div> <div>(Linnaeus, 1758)</div>
<div>Myolepta vara</div> <div>(Panzer, 1798)</div>
<div>Neoscias interrupta</div> <div>(Meigen, 1822)</div>
<div>Neoscias podagrica</div> <div>(Fabricius, 1775)</div>
<div>Orthonevra brevicornis</div> <div>Loew, 1843</div>
<div>Orthonevra frontalis</div> <div>(Loew, 1843)</div>
<div>Orthonevra intermedia</div> <div>Lundbeck, 1916</div>
<div>Paragus albifrons</div> <div>(Fallén, 1817)</div>
<div>Paragus finitimus</div> <div>Goeldlin, 1971</div>
<div>Paragus quadrfasciatus</div> <div>Meigen, 1822</div>
<div>Parasyrphus kirgizorum</div> <div>(Peck, 1969)</div>
<div>Parasyrphus malinellus</div> <div>(Collin, 1952)</div>
<div>Parasyrphus vittiger</div> <div>(Zetterstedt, 1843)</div>
<div>Parhelophilus versicolor</div> <div>(Fabricius, 1794)</div>
<div>Pipiza austriaca</div> <div>Meigen, 1822</div>
<div>Pipiza fenestrata</div> <div>Meigen, 1822</div>
<div>Pipiza luteitarsis</div> <div>Zetterstedt, 1843</div>
<div>Pipizella annulata</div> <div>(Macquart, 1829)</div>
<div>Pipizella viduata</div> <div>(Linnaeus, 1758)</div>
<div>Platycheirus ambiguus</div> <div>(Fallén, 1817)</div>
<div>Platycheirus clypeatus</div> <div>(Meigen, 1822)</div>
<div>Platycheirus europaeus</div> <div>Goeldin, Mabach Speight, 1990</div>
<div>Platycheirus immarginatus</div> <div>(Zetterstedt, 1849)</div>
<div>Platycheirus occultus</div> <div>Goeldin, Mabach Speight, 1990</div>
<div>Platycheirus perpallidus</div> <div>(Verrall, 1901)</div>
<div>Platycheirus scambus</div> <div>(Staeger, 1843)</div>
<div>Platycheirus sticticus</div> <div>(Meigen, 1822)</div>

<div>Melanogaster curvistylus</div> <div>Vujic Stuke, 1998</div>
<div>Melanogaster parumplicata</div> <div>(Loew, 1840)</div>
<div>Melanostoma scalare</div> <div>(Fabricius, 1794)</div>
<div>Meligramma guttata</div> <div>(Fallén, 1817)</div>
<div>Meliscaeva cinctella</div> <div>(Zetterstedt, 1843)</div>
<div>Merodon constans</div> <div>(Rossi, 1794)</div>
<div>Merodon ruficornis</div> <div>Meigen, 1822</div>
<div>Microdon analis</div> <div>(Macquart, 1842)</div>
<div>Microdon mutabilis</div> <div>(Linnaeus, 1758)</div>
<div>Myolepta dubia</div> <div>(Fabricius, 1805)</div>
<div>Neoscias annexa</div> <div>(Müller, 1776)</div>
<div>Neoscias meticulosa</div> <div>(Scopoli, 1763)</div>
<div>Neoscias tenur</div> <div>(Harris, 1780)</div>
<div>Orthonevra elegans</div> <div>(Meigen, 1822)</div>
<div>Orthonevra geniculata</div> <div>(Meigen, 1830)</div>
<div>Orthonevra nobilis</div> <div>(Fallén, 1817)</div>
<div>Paragus bicolor</div> <div>(Fabricius, 1794)</div>
<div>Paragus haemorrhous</div> <div>Meigen, 1822</div>
<div>Paragus tibialis</div> <div>(Fallén, 1817)</div>
<div>Parasyrphus lineolus</div> <div>(Zetterstedt, 1843)</div>
<div>Parasyrphus nigratarsis</div> <div>(Zetterstedt, 1843)</div>
<div>Parhelophilus consimilis</div> <div>(Malm, 1863)</div>
<div>Pelecocera trincta</div> <div>Meigen, 1822</div>
<div>Pipiza bimaculata</div> <div>Meigen, 1822</div>
<div>Pipiza festiva</div> <div>Meigen, 1822</div>
<div>Pipiza noctiluca</div> <div>(Linnaeus, 1758)</div>
<div>Pipizella divicoi</div> <div>(Goeldin, 1974)</div>
<div>Pipizella virens</div> <div>(Fabricius, 1805)</div>
<div>Platycheirus angustatus</div> <div>(Zetterstedt, 1843)</div>
<div>Platycheirus complicatus</div> <div>(Becker, 1889)</div>
<div>Platycheirus fulviventris</div> <div>(Macquart, 1829)</div>
<div>Platycheirus manicatus</div> <div>(Meigen, 1822)</div>
<div>Platycheirus parmatius</div> <div>Rondani, 1857</div>
<div>Platycheirus podagratus</div> <div>(Zetterstedt, 1836)</div>
<div>Platycheirus scutatus</div> <div>(Meigen, 1822)</div>
<div>Platycheirus tarsalis</div> <div>(Schummel, 1837)</div>

Labels source: **Syrphidae1**

.	Platycheirus tatricus <small>Důšek, Láska, 1982</small>	.
.	Portevinia maculata <small>(Fallén, 1817)</small>	.
.	Psilota atra <small>(Fallén, 1817)</small>	.
.	Rhingia campestris <small>Meigen, 1822</small>	.
.	Scaeva pyrastrî <small>(Linnaeus, 1758)</small>	.
.	Sericomyia silentis <small>(Harris, 1776)</small>	.
.	Sphaerophoria fatarum <small>Goeldin de Tellenau, 1989</small>	.
.	Sphaerophoria philantha <small>(Meigen, 1822)</small>	.
.	Sphaerophoria taeniata <small>(Meigen, 1822)</small>	.
.	Sphegina clunipes <small>(Fallén, 1816)</small>	.
.	Sphegina sibirica <small>Stackelberg, 1953</small>	.
.	Sphiximorpha subsessilis <small>(Illiger in Ross, 1807)</small>	.
.	Syritta pipiens <small>(Linnaeus, 1758)</small>	.
.	Syrphus sexmaculatus <small>(Zetterstedt, 1838)</small>	.
.	Temnostoma apiforme <small>(Fabricius, 1794)</small>	.
.	Temnostoma vespiforme <small>(Linnaeus, 1758)</small>	.
.	Triglyphus primus <small>Loew, 1840</small>	.
.	Volucella bombylans <small>(Linnaeus, 1758)</small>	.
.	Volucella pellucens <small>(Linnaeus, 1758)</small>	.
.	Xanthogramma citrofasciatum <small>(De Geer, 1776)</small>	.
.	Xanthogramma stackelbergi <small>Vidovitch, 1975</small>	.
.	Xylota ignava <small>(Panzer, 1796)</small>	.
.	Xylota segnis <small>(Linnaeus, 1758)</small>	.
.	Xylota xanthocnema <small>Collin, 1939</small>	.

.	Platycheirus transfugus <small>(Zetterstedt, 1838)</small>	.
.	Psarus abdominalis <small>(Fabricius, 1794)</small>	.
.	Psilota innupta <small>(Rondani, 1857)</small>	.
.	Rhingia rostrata <small>(Linnaeus, 1758)</small>	.
.	Scaeva selenitica <small>(Meigen, 1822)</small>	.
.	Spazigaster ambulans <small>(Fabricius, 1798)</small>	.
.	Sphaerophoria interrupta <small>(Fabricius, 1805)</small>	.
.	Sphaerophoria rueppelli <small>(Wiedemann, 1830)</small>	.
.	Sphaerophoria virgata <small>Goeldin, 1974</small>	.
.	Sphegina elegans <small>Schummel, 1843</small>	.
.	Sphegina spheginea <small>(Zetterstedt, 1838)</small>	.
.	Spilomyia diophthalma <small>(Linnaeus, 1758)</small>	.
.	Syrphus attenuatus <small>Hine, 1922</small>	.
.	Syrphus torvus <small>Osten-Sacken, 1875</small>	.
.	Temnostoma bombylans <small>(Fabricius, 1805)</small>	.
.	Trichopsomyia flavitarsis <small>(Meigen, 1822)</small>	.
.	Tropidia fasciata <small>Meigen, 1822</small>	.
.	Volucella inanis <small>(Linnaeus, 1758)</small>	.
.	Volucella zonaria <small>(Poda, 1761)</small>	.
.	Xanthogramma laetum <small>(Fabricius, 1794)</small>	.
.	Xylota abiens <small>Meigen, 1822</small>	.
.	Xylota jakutorum <small>Bagalshanova, 1980</small>	.
.	Xylota sylvorum <small>(Linnaeus, 1758)</small>	.

.	Pocota personata <small>(Harris, 1780)</small>	.
.	Psilota anthracina <small>Meigen, 1822</small>	.
.	Rhingia borealis <small>Rhinggahl, 1928</small>	.
.	Riponnensia splendens <small>(Meigen, 1822)</small>	.
.	Sericomyia lappona <small>(Linnaeus, 1758)</small>	.
.	Sphaerophoria batava <small>Goeldin, 1974</small>	.
.	Sphaerophoria loewi <small>Zetterstedt, 1843</small>	.
.	Sphaerophoria scripta <small>(Linnaeus, 1758)</small>	.
.	Sphecomyia vespiformis <small>(Gorski, 1852)</small>	.
.	Sphegina latifrons <small>Egger, 1865</small>	.
.	Sphegina verecunda <small>Collin, 1937</small>	.
.	Spilomyia manicata <small>(Rondani, 1865)</small>	.
.	Syrphus ribesii <small>(Linnaeus, 1758)</small>	.
.	Syrphus vitripennis <small>Meigen, 1822</small>	.
.	Temnostoma meridionale <small>Krivosheina Mamayev, 1962</small>	.
.	Trichopsomyia joratensis <small>Goeldin, 1977</small>	.
.	Tropidia scita <small>(Harris, 1780)</small>	.
.	Volucella inflata <small>(Fabricius, 1775)</small>	.
.	Xanthandrus comtus <small>(Harris, 1780)</small>	.
.	Xanthogramma pedissequum <small>(Harris, 1776)</small>	.
.	Xylota florum <small>(Fabricius, 1805)</small>	.
.	Xylota meigeniana <small>(Stackelberg, 1964)</small>	.
.	Xylota tarda <small>Meigen, 1822</small>	.

Printed by: **EntomoLabels v. 3**